



VEHICLE LINE

by Bieffe Farinelli



Bieffe is promoter of the initiative **PERCHÉ BUTTARE?**[®] (Why throwing away?)
encouraging reconditioning as an alternative to consuming




www.bieffeitalia.it

✓ HOT WATER/DETERGENT ✓ STEAM ✓ VACUUM ✓ INJECTION/EXTRACTION ✓ DRY ✓ OZONE

CARWASH

Steam generator for cleaning and sanitizing car interiors

Steam cleaner for vehicle interiors reconditioning. It cleans and sanitizes with steam, dries quickly with warm air, and it is equipped with professional vacuum cleaner. This steam generator is ideal for car washes and workshops.



- 1 STEAM AND VAC NOZZLE**
Hot water and detergent
Steam injection
For textiles and leather cleaning
- 2 STEAM GUN**
Engine cleaning
Wheel cleaning
Dashboard cleaning
- 3 BASKET FOR ACCESSORIES**
- 4 STAINLESS STEEL DRUM**
20 lt capacity - Dust collector
Dirty water collector
- 5 DRYING OUTLET**
Hot air jet temp. 50°C
Removes moisture from seat and carpet fibres
- 6 OZONE OUTPUT (models BF310Z and BF310PLZ)**
Interior ozonization - Removes odours
- 7 OZONE TIMER**
- 8 BOILER DRAINING TAP**
to easily clean the boiler
- 9 STEAM ADJUSTMENT FOR GUN**



TECHNICAL DATA



	BF310Z
POWER	220/240 V
BOILER VOLUME	3,5 lt
BOILER POWER	1000W+1000W+1000W
STEAM PRESSURE	6 bar
BOILER STEAM TEMP.	165°C
STEAM PRODUCTION	67 g/min
VACUUM POWER ¹	1200 W
HOT AIR OUTPUT TEMP.	50°C
WATER/DETERGENT TEMP.	50°C
WATER TANK	10 lt
STEEL DRUM VOLUME	20 lt
DETERGENT TANK	10 lt
DIMENSIONS	52x80x110h cm
WEIGHT NO ACCESSORIES	48 kg
WEIGHT WITH ACCESSORIES	54 kg
STEAM FLOW CONTROL	✓
OZONE DISINFECTION	✓
OZONE PRODUCTION	0,35 g/h
BOILER REFILL	AUTOMATIC
VACUUM	✓
WET VACUUM	✓

¹ Higher speed engine with increased vacuum power and reduced electricity consumption

KIT "A" - DRYING ACCESSORIES (included)



KIT "B" - FOR INTERIORS (included)



✔ HOT WATER/DETERGENT ✔ STEAM ✔ VACUUM ✔ INJECTION/EXTRACTION ✔ WET VACUUM

VAPOBUS BF090JB

Steam generator for cleaning and sanitizing bus and camper interiors

Steam generator specifically designed for cleaning bus interior and aisle and railroad-car. It is also used for home carwashing service, cinema, theater, chairs, sofas, armchairs and mattresses cleaning.



- 1 1400W VACUUM**
Liquids and dust suction
- 2 BASKET FOR ACCESSORIES**
- 3 STAINLESS STEEL DRUM**
20 lt capacity
Dust collector
Dirty water collector
- 4 Steam, warm water and detergent functions**
- 5 INJECTION/EXTRACTION NOZZLE OUTPUT**
Hot water and detergent
Steam delivering
- 6 BOILER DRAINING TAP** to easily clean the boiler

TECHNICAL DATA

POWER	220/240V 50/60Hz
BOILER VOLUME	3,5 lt
BOILER POWER	1300W+1300W
STEAM PRESSURE	6 bar
BOILER STEAM TEMP.	165°C
STEAM PRODUCTION	53 g/min
VACUUM POWER	1400W 2 stages
WATER/DETERGENT TEMP.	50°C
WATER TANK	5 lt
DETERGENT TANK	5 lt
STEEL DRUM VOLUME	20 lt
DIMENSIONS	30x60x110h cm
WEIGHT W/O STEEL DRUM (FOR AN EASIER MOVING)	21 kg
WEIGHT WITH/WITHOUT ACCESSORIES	31 kg / 27 kg
BOILER REFILL	AUTOMATIC



STEAM



HOT WATER/DETERGENT



VACUUM

SOME USES

SEAT SANITIZATION, WINDOWS, CARPETING, ROOF, REMOVAL OF ANIMAL HAIR AND CHEWING GUM



OPTIONAL: DETERGENT NEBULIZER

* Available with two steam guns (BF090JB04)

ACCESSORIES INCLUDED



CVK21V

CVK20

CVG1

CVG2

CVE

CVG3

CVAC

CVEB

CVC

OPTIONAL: KIT NEBULIZATION



CV118

CVK53

CVK01

OZONO BIEFFE BF360

Ozone generator for sanitizing small/medium environments



- 1 OZONE OUTPUT WITH BLOWING HOSE CONNECTION**
- 2 TIMER**
- 3 HANDLE**
- 4 POWER ON**
0 for timer mode
I for non-stop mode with manual power off

TECHNICAL DATA

POWER	220/240V 50Hz
ABSORBED POWER	65W
OZONE PRODUCTION	1 g/h - 500 ppm/h/m ³ 3,5 g/h BF360PL model
DIMENSIONS	27x14x18h cm
WEIGHT	4 kg



ELIMINATES UP TO **99.9%** OF BACTERIA

✔ HOT WATER/DETERGENT ✔ STEAM ✔ VACUUM ✔ INJECTION/EXTRACTION ✔ WET VACUUM

ECOWASH BF320

Professional steam generator for car-wash and industrial use with vacuum

ECOWASH is a powerful steam generator designed for cleaning large industrial and public sites. The constant supply of steam under high pressure guarantees effective cleaning and disinfection. ECOWASH cleans effectively grease, tar, oil and other types of dirt.

MAIN FUNCTIONS

- 1 STEAM OUTLET F/GUN - EXTERIORS | 1 STEAM OUTLET F/ NOZZLE - INTERIORS
- AVERAGE WATER CONSUMPTION FOR CAR-WASH 3/5 lt
- DETERGENT OUTLET FOR NEBULIZING LANCE
- STEAM/HOT WATER FUNCTION
- STANDARD WET VAC/CLEANER FUNCTION

Variety of accessory kits:

- ✔ CLEANING KIT – BF601CL
- ✔ CHEWING GUM KIT – BF602CH
- ✔ EXTERIORS CAR KIT – BF601CE
- ✔ INTERIORS CAR KIT – BF602CW



✔ HOT WATER/DETERGENT ✔ STEAM ✔ VACUUM ✔ INJECTION/EXTRACTION ✔ WET VACUUM





BF4000/BF4000 VACUUM BF601/BF602

High-pressure steam cleaner

High pressure steam generator, available in two versions: **BF4000 VAPOR** and **BF4000 VACUUM with liquid and solid vacuum**. Ideal for cleaning cars and motorcycles (even at home), sanitizing large areas, flooring, walls, removing of graffiti, grease, tar, oil. It's a great cleaner of industrial machinery. BF4000 is diesel powered and delivers 35kW of steam (700 g/min). With only 3-5 liters of water it performs a perfect car cleaning. It does not need installations or waste systems.

TECHNICAL DATA

	ECOWASH Ref. BF320	ECOWASH Ref. BF320PL	ECOWASH Ref. BF320PLBFR	BF4000 VAPOR Ref. BF601	BF4000 VACUUM Ref. BF602
POWER	220V-240V 50-60Hz	380V 50/60Hz	380V 50/60Hz	220V-240V 50Hz	220V-240V 50Hz
BOILER POWER SUPPLY	Electric	Electric	Electric	Diesel - tank 45 lt	Diesel - tank 45 lt
BOILER POWER	3000W	4500W	6500W	350W 220V + 1200W	350W 220V + 1200W
BOILER VOLUME	5 lt	5 lt	5 lt	16 lt	16 lt
STEAM PRESSURE	6 bar	6 bar	6 bar	10,5 bar	10,5 bar
BOILER STEAM TEMPERATURE	180°C	180°C	180°C	180°C	180°C
STEAM PRODUCTION	60 g/min	90 g/m	130 g/min	700 g/min	700 g/min
STEAM OUTLET	3	3	3	10 bar	10 bar + 6 bar
VACUUM ENGINE	1200W	1200W	1200W	-	1200W
VACUUM NOISE LEVEL	62 dB(A)	62 dB(A)	62 dB(A)	-	62 dB
STEEL DRUM VOLUME	20 lt	20 lt	20 lt	-	20 lt
WATER TANK	10 lt	10 lt	10 lt	WATER SUPPLY/RESERVOIR 10 lt	
DETERGENT TANK	10 lt	10 lt	10 lt	3 lt	3 lt
HOT WATER/DETERGENT INJECTION	✔	✔	✔	✔	✔
STEAM/HOT WATER/ DETERGENT SIMULTANEOUSLY	✔	✔	✔	✔	✔
TWO STEAM OUTLETS	Injection/extraction lance + steam gun			2 steam guns	
DIMENSIONS	58x63x108 cm	58x63x108 cm	58x63x108 cm	110x70x90h cm	110x70x90h cm



✔ HOT WATER/DETERGENT ✔ FOAM ✔ VACUUM ✔ INJECTION/EXTRACTION ✔ WET VACUUM

EXTRACTO FOAM PLUS

Active foam injection/extraction upholstery cleaner for car interiors

EXTRACTO FOAM PLUS, upholstery cleaner for car interior washing, with multiple functions: active detergent foam, hot water injection/extraction, and vacuum. Useful for cleaning vehicle interiors, carpets, sofas, curtains, mattresses, and much more.

MODELS AVAILABLE

BF429A	ACTIVE FOAM AND VACUUM
BF429B	ACTIVE FOAM, VACUUM AND WATER INJECTION
BF429C	ACTIVE FOAM, VACUUM, WARM AND COLD WATER INJECTION

MAIN FUNCTIONS



ACTIVE FOAM
DETERGENT



WARM WATER
COLD WATER



WET AND DRY
VACUUM



INJECTION/EXTRACTION
FOR UPHOLSTERY WITH
WARM/COLD WATER OR
DETERGENT



DETERGENTS AND ACCESSORIES

BIEFFE offers a wide range of handles and optional accessories for various applications, as well as a selection of detergents for more specific uses. Here are some of our solutions.



CVK20
Pratika steam & vac
nozzle – K20



Speedy Foam
Foam generator with
brush



CVK71
Steam & vac brush W/
Brass bristles 150 mm



CVT
Triangular steam & vac
nozzle 240 mm



CVG4
Rectangular small
brush – Brass bristles
for removing animal



CVO
Steam/vac extension
144 cm



CVH
Steam & Vac nozzle
diam. 13 300 mm



CVK20S
Pratika steam
& vac nozzle



CVK106
Silicone brush steam
& vacuum



CVK30
Steam & vac remove
chewing-gum wand –
L 1 mt



CVK11
Turbo –
vacuum brush



CVK49
Steam & vac tool F/
Carpet 100 cm –
L 1 mt



CVCG
Chewing-Gum
removal vac nozzle



RIP6002
Lamp led F/Drivers
cabin cleaning 14W

DETERGENTS

RIP1433 - Chewing-gum removal detergent	RIP1508 - Kitchen degreaser	RIP1505 - Detergent special F/ interiors W/enzymes - 5 kg
RIP1434 - Detergent F/ Upholstery "special interiors" - 5 kg	RIP1452 - Floor detergent "All Super" - 5 kg	RIP1506 - Sanitizing enzymatic detergent - 5 kg

POWER GENERATOR

Petrol or diesel



and much more...



Via Costa di Fagnano 3, 61122 Pesaro (PU), Italy
T/Whatsapp +39 0721.28.18.57 - info@bieffeitalia.it - www.bieffeitalia.it
Facebook: bieffefarinelli YouTube: Bieffe Farinelli Instagram: bieffe_farinelli

VACUUM CLEANERS



1 motor
2 motors
3 motors
15/20/60 LT

✓ WARM AIR DRYING

CARFON

Dryer for car interiors, seats and upholstery

Quick, powerful, silent and equipped with the high quality motor, CARFON is a professional car interior dryer. It dries car seats and floor mats in less than an hour with two powerful jets of warm air. This system allows to deliver the car to the customer in a short time.

SCHEDA TECNICA

POWER	220/240V 50/60Hz
BLOWING MOTOR POWER	320W Brushless
AIR FLOW	900 m ³ /h
NOISE LEVEL	38 dB
HEATING POWER	2800W
HOT AIR TEMPERATURE	50°C
PACKAGE DIMENSIONS	40x40x77 cm
WEIGHT (WITH ACCESSORIES)	15 kg



- 1 HANDLE
- 2 DOUBLE HOT AIR OUTLET
- 3 STEEL FRAME
- 4 SILENT BRUSHLESS ENGINE
- 5 FLEXIBLE AIR HOSES
- 6 DRYING BAGS FOR FRONT AND BACK SEATS
- 7 BAGS WITH CROSSES TO DRY CAR MATS
- 8 WHEELS
- 9 POWER/HOT-COLD AIR
- 10 AIR DIFFUSER



APPLICATIONS

- DRYING OF CAR INTERIORS
- DRYING OF MATTRESSES, SOFAS AND ARMCHAIRS

VERSIONS AVAILABLE

BF350 "CARFON"	2800W 220/240V 50/60HZ + 2 FLEXIBLE AIR HOSES
BF351 "CARFON OPEN"	2800W 220/240V 50/60HZ + 2 FLEXIBLE AIR HOSES, "BAGS" KIT KITFONO

✓ STEAM

STEAM CAR / MAGIC CAR

Steam generator for car cleaning

TECHNICAL DATA

	STEAM CAR Available in three versions	MAGIC CAR Ref. BF009CAR
POWER	230V/380V	220V/240V 50/60Hz
BOILER CAPACITY	5 lt	2,8 lt
BOILER POWER	3000W (BF420C) 4500W (BF420CPL) 6500W (BF420CPL2)	1200W+1200W
STEAM PRESSURE	6 bar	6 bar
BOILER STEAM TEMP.	180°C	165°C
STEAM PRODUCTION	da 3,6 a 7,8 kg/h	48 g/min
WATER TANK	10 lt	3 lt
DIMENSIONS	46x36x100 cm	27x39x39 cm
WEIGHT	31 kg	9 kg
STEAM JET	✓	✓
LOW WATER LEVEL ALARM	AUTO	AUTO
BOILER REFILL	✓	✓



* Double steam outlet available

ACCESSORIES INCLUDED



STEAM CAR:
MGK01E05
Steam handle 5mt
MAGIC CAR:
MGK01NW
Steam handle – 2mt



CVK36N
Steam nebulizer



MGK04N
Steam lance



MGLND
Curved small brush
diam. 26 mm for
MGK04N – Nylon
bristles